

DIRECTIONS FOR USE:

DO NOT mix ammonia based cleaners with **KABOOM**. A toxic gas may be produced. **DO NOT** leave in contact with brass fittings for prolonged periods.

DO NOT mix in galvanised or aluminium containers.

CAUTION: Dissolve **KABOOM** in cold water. This product will generate heat and become unstable if it comes into contact with small amounts of moisture.

To avoid hazardous situations please handle this product carefully and observe the following:

1. Ensure that maximum agitation is running prior to adding product to spray tank.
2. Ensure that spray tank is at least half full of water before adding product to tank.
3. Ensure that the filter basket is removed before adding through top port of tank.
4. Ensure that the required quantity of product is measured out using a dry measuring vessel.

CHEMICAL TYPE:	SITUATION:	USE RATE:	PROCEDURE:
Sulfonylurea Herbicides (Including: Chlorsulfuron, Metsulfuron, Triasulfuron, Sulfometuron)	Spray tank, hoses, lines and all associated spray equipment	200 grams per 100LT	<ol style="list-style-type: none">1. Clean spray equipment immediately after spraying is completed.2. Hose down the outside of the unit; otherwise herbicide adhering to the outside could contaminate the unit again after it has been cleaned.3. Drain the tank, then flush tank, boom and hoses with clean water for a minimum of 15 minutes.4. Half fill the tank with clean water and begin agitation. Slowly add KABOOM and fill tank with water.5. Agitate vigorously for 20 minutes and recirculate.6. Use the hand lance or return hose to clean the top of the tank and around the filter basket. Care should be taken to wash out any nooks and crannies, moulding seams, etc., in the tank where herbicide could be deposited.7. Let the unit stand for 15 to 30 minutes. Run for 5 minutes and let stand.8. Open spray booms and spray out.9. Repeat steps 4 to 8 above. The solution may be left to soak overnight for an especially thorough cleaning.
Phenoxy Herbicide Ester formulations (Including: 2,4-D Ester, MCPA Ester, Triclopyr, Tri-pick, Jaguar, Tigrex, etc.)	Spray tank, hoses, lines made of plastic or rubber.	250-500 grams per 100LT	<p>Use same procedure as outlined for steps 1 through to 6 for Sulfonylurea Herbicides</p> <ol style="list-style-type: none">7. Let the unit stand for 3 to 4 hours. Run for 5 minutes and let stand.8. Open spray booms and spray out.9. Repeat steps 4 to 8 above. The solution may be left to soak overnight for an especially thorough cleaning. <p>Remove and clean filter basket separately. Immerse in solution of KABOOM and allow to stand for 30 minutes. Remove any residue with a stiff brush. Rinse in clean water before reconnecting to boom.</p>
All chemicals	Nozzles, screens and filters	10 grams per 10LT	Mix KABOOM in a bucket and scrub stained areas with stiff brush. Wear rubber gloves and eye protection.
Stain and scale	Removal from spray equipment	40 grams per 10LT	This procedure ensures that any excess foam that may contain chlorine residue is completely removed from the tank. If this procedure is not carried out the next chemical batch may be broken down to some degree as a result of the residual chlorine remaining in the foam at the base of the tank.
All chemicals	When sprayer is to be re-used immediately		<ol style="list-style-type: none">1. Part fill the tank with water.2. Add 5-10mL/100LT of an antifoam agent or 1kg/100LT of ammonium sulphate.3. Agitate for 5 minutes and recirculate before spraying out.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

STORAGE AND DISPOSAL: Store in closed, original container in a well-ventilated areas, as cool as possible, out of direct sunlight. Triple or preferably pressure rinse containers before disposal.

Add rinsings to the solution. Do not dispose of undiluted chemicals on site. Break, crush or puncture and bury empty containers in a local authority landfill. If there is no local authority landfill readily available in your area bury the containers at a depth of 500mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

HAZARD STATEMENT: May be corrosive to metals. Causes severe skin burns and eye damage.

SAFETY DIRECTIONS: Product is poisonous if swallowed. The product is alkaline. Keep out of reach of children.

Read label before use. Keep only in original container. Do not breathe dust, fume, gas, mist, vapours or spray. Wash hands, face and all exposed skin thoroughly after handling. Wear protective clothing, gloves, eye/face protection and suitable respirator.

FIRST AID: If poisoning occurs contact a Doctor or Poisons Information Centre (eg. Australia 13 11 26). If medical advice is needed have product container or label at hand.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention. Immediately call a POISON CENTRE (Australia 13 11 26).

IF SWALLOWED: Immediately call a POISON CENTRE (Australia 13 11 26) or doctor/physician.

IF SWALLOWED: Rinse mouth with water. DO NOT induce vomiting. Wash contaminated clothing before re-use. Absorb spillage to prevent material damage.

Storage Precautionary Statement: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in original container.

Disposal Precautionary Statement: Dispose of contents/container in accordance with local, regional, national and international regulations.

BATCH NO:

For further information refer to the Safety Data Sheet for the product.

UN 1759 CLASS 8 HAZCHEM 2X. P.G. ii. In a transport emergency dial 000, police or fire brigade.



Manufactured by:
TASMAN CHEMICALS PTY. LTD.
1-7 Bell Grove, Braeside, Victoria 3195
Tel: 03 9587 6777
Freecall: 1 800 675 529
Fax: (03) 9587 5255
sales@taschem.com.au
www.tasmanchemicals.com.au

